

PF-05 / PF-06 — Verify before launch

Academy · free worksheet · Track: project-folders · Pair with modules PF-05 & PF-06

0. Worked example (a good verify, filled in)

Maria’s practice project on macOS. She ran the two commands *before* starting the agent:

pwd result: /Users/maria/Documents/Projects/my-app

Files recognized: README.md, src/, package.json — project files, not home

Agent asked: “What files are in this folder?” → matched my-app ✓

1. Pre-flight (every time)

- 1. Open the **project** folder (not parent, not home)
- 2. Open terminal **here** (or IDE Open Folder → integrated terminal)
- 3. Run pwd (or Get-Location)
- 4. Run ls / dir — see project files?
- 5. Only then: claude / codex / grok / hermes

2. Last verify

pwd result: _____

Files I recognized: _____

☐ Agent answer matched **this** project (not a home dump)

3. Never point agents at...

- ☐ Whole Users / home directory
- ☐ Desktop or Downloads dumps
- ☐ iCloud / Dropbox / Drive **roots**
- ☐ Client PII piles
- ☐ c:\ or /

Job-specific never folder: _____

4. Three clean launches this week

#	Date	Agent	pwd OK?
1			

#	Date	Agent	pwd OK?
2			
3			

Asbury Academy · asburyaisolutions.com/academy/ · Not a paid store SKU